

Mobile Printers Accessories Guide

by Accessory Type



Handling Accessories

Accessory Name and Description		Part Number	Compatible Product
	BELT STRAP 2" Belt width M5,L8.5 Screw Default: 10pcs in 1 inner box.	PBS-2000/STD	XM7-20/30/40/40R SPP-L3000
	CASE Metal clip	PLC-720/STD	XM7-20
	CASE Metal clip	PLC-730/STD	XM7-30
	CASE Metal clip	PLC-740/STD	XM7-40/40R
	CASE Plastic clip	PLC-L3000/STD	SPP-L3000
	SHOULDER STRAP To use with 2" receipt mobile printers, a CASE or PROTECTIVE CASE is required for each model. 2" receipt mobile printers: SPP-R200/R200II/R200III/R200III with MSR SPP-R210 SPP-R220	PSS-R200/STD	All models (Not available for SPP-C200/C300)

Power System Accessories

Accessory Name and Description		Part Number	Compatible Product
	BATTERY PACK 7.2 V Li-ion, 2,850 mAh (Nominal) 7pin Rechargeable	PBP-R300/STD	SPP-R310/L310 SPP-R410/L410 SPP-L3000 XM7-20/30
	SMART BATTERY PACK 7.2 V Li-ion, 3,400 mAh (Nominal) 9pin Rechargeable	PBP-S300/STD	SPP-L3000 XM7-20/30
	SMART BATTERY PACK 7.2 V Li-ion, 6,800 mAh (Nominal) 11pin Rechargeable	PBP-S400/STD	XM7-40/40R
	AC/DC ADAPTER Input: 100-240 VAC, 50-60Hz, 1A Output: 9 VDC, 2A POWER CORD(2P) not included.	PBC-2000/STD	SPP-L3000 XM7-20/30/40/40R
	AC/DC PD ADAPTER Input: 100-240 VAC, 50-60Hz, 0.7A Output: 5 VDC, 3A / 9 VDC, 2A USB CABLE (C to C) not included. POWER CORD(2P) not included.	PBC-3000/STD	SPP-R200IIIU XM7-20/30/40/40R
	AC/DC ADAPTER for PQD-720/720E, PQD-7000/7000E Input: 100-240 VAC, 50-60Hz, 2.5A Output: 24 VDC, 4A POWER CORD(3P) not included.	K404-00080A	XM7-20/30/40/40R

Power System Accessories

Accessory Name and Description		Part Number	Compatible Product
	SINGLE BATTER CRADLE for PBP-R300, PBP-S300/S400 Input/Output: 8.4 VDC, 0.8A PBC-1000 BATTERY CHARGER and POWER CORD(2P) not included.	PBD-R300/STD	SPP-R310/L310 SPP-R410/L410 SPP-L3000 XM7-20/30/40/40R
	SINGLE DOCKING CRADLE Output/Output: 9 VDC, 2A PBC-2000 AC/DC ADAPTER and POWER CORD(2P) not included.	PSD-720/STD	XM7-20
	SINGLE DOCKING CRADLE Output/Output: 9 VDC, 2A PBC-2000 AC/DC ADAPTER and POWER CORD(2P) not included.	PSD-7000/STD	XM7-20/30/40/40R
	SINGLE DOCKING CRADLE Output/Output: 9 VDC, 2A Ethernet port PBC-2000 AC/DC ADAPTER and POWER CORD(2P) not included.	PSD-7000E/STD	XM7-20/30/40/40R

Multi-Power System Accessories

Accessory Name and Description		Part Number	Compatible Product
	QUAD BATTERY CHARGER for PBP-R300, PBP-S300/S400 Input: 100-240 VAC, 50-60Hz, 1A Output: 8.4 VDC, 0.8A AC/DC ADAPTER and POWER CORD(2P) included.	PQC-R300/STD	SPP-R310/L310 SPP-R410/L410 SPP-L3000 XM7-20/30/40/40R
	QUAD DOCKING CRADLE Input: 100-240 VAC, 50-60Hz, 2.5A Output: 10 VDC, 1.5A AC/DC ADAPTER and POWER CORD(3P) included.	PQD-720/STD	XM7-20
	QUAD DOCKING CRADLE Input: 100-240 VAC, 50-60Hz, 2.5A Output: 10 VDC, 1.5A AC/DC ADAPTER and POWER CORD(3P) included.	PQD-720E/STD	XM7-20
	QUAD DOCKING CRADLE Input: 100-240 VAC, 50-60Hz, 2.5A Output: 10 VDC, 1.5A AC/DC ADAPTER and POWER CORD(3P) included.	PQD-7000/STD	XM7-20/30/40/40R
	QUAD DOCKING CRADLE Input: 100-240 VAC, 50-60Hz, 2.5A Output: 10 VDC, 1.5A AC/DC ADAPTER and POWER CORD(3P) included. Ethernet port	PQD-7000E/STD	XM7-20/30/40/40R

Power Cord Accessories

Accessory Name and Description		Part Number	Compatible Product
	POWER CORD-2-CHN China	K609-00016A	All models (Not available for SPP-C200/C300, PQD-720/720E and PQD-7000/7000E)
	POWER CORD-2-JPN Japan	K609-00017A	All models (Not available for SPP-C200/C300, PQD-720/720E and PQD-7000/7000E)
	POWER CORD-2-KOR Korea	K609-00018A	All models (Not available for SPP-C200/C300, PQD-720/720E and PQD-7000/7000E)
	POWER CORD-2-EU Europe	K609-00019A	All models (Not available for SPP-C200/C300, PQD-720/720E and PQD-7000/7000E)
	POWER CORD-2-UK UK	K609-00020A	All models (Not available for SPP-C200/C300, PQD-720/720E and PQD-7000/7000E)
	POWER CORD-2-USA USA	K609-00021A	All models (Not available for SPP-C200/C300, PQD-720/720E and PQD-7000/7000E)
	POWER CORD-2-AUS Australia	K609-00022A	All models (Not available for SPP-C200/C300, PQD-720/720E and PQD-7000/7000E)
	POWER CORD-2-ARG Argentina	K609-00023A	All models (Not available for SPP-C200/C300, PQD-720/720E and PQD-7000/7000E)
	POWER CORD-2-BRA Brazil	K609-00028A	All models (Not available for SPP-C200/C300, PQD-720/720E and PQD-7000/7000E)
	POWER CORD-2-IND India	K609-00072A	All models (Not available for SPP-C200/C300, PQD-720/720E and PQD-7000/7000E)

Power Cord Accessories

Accessory Name and Description		Part Number	Compatible Product
	POWER CORD-3-CHN for PQD-720/720E, PQD-7000/7000E China	JE39-00064E	XM7-20/30/40/40R
	POWER CORD-3-JPN for PQD-720/720E, PQD-7000/7000E Japan	K609-00017B	XM7-20/30/40/40R
	POWER CORD-3-KOR for PQD-720/720E, PQD-7000/7000E Korea	K609-00098A	XM7-20/30/40/40R
	POWER CORD-3-EU for PQD-720/720E, PQD-7000/7000E Europe	JE39-00060A	XM7-20/30/40/40R
	POWER CORD-3-UK for PQD-720/720E, PQD-7000/7000E UK	JE39-00064H	XM7-20/30/40/40R
	POWER CORD-3-USA for PQD-720/720E, PQD-7000/7000E USA	JE39-00058B	XM7-20/30/40/40R
	POWER CORD-3-AUS for PQD-720/720E, PQD-7000/7000E Australia	JE39-00064G	XM7-20/30/40/40R
	POWER CORD-3-ARG for PQD-720/720E, PQD-7000/7000E Argentina	K609-00023B	XM7-20/30/40/40R
	POWER CORD-3-BRA for PQD-720/720E, PQD-7000/7000E Brazil	K609-00028B	XM7-20/30/40/40R
	POWER CORD-3-IND for PQD-720/720E, PQD-7000/7000E India	K609-00072D	XM7-20/30/40/40R

Vehicle Accessories

Accessory Name and Description		Part Number	Compatible Product
	VEHICLE ADAPTER Input: 12-24 VDC, 2A Output: 9 VDC, 2A	PCC-2000/STD	SPP-L3000 XM7-20/30/40/40R
	RAM MOUNT VEHICLE HOLDER RAM mount	PVH-L3000R/STD	SPP-L3000
	RAM MOUNT VEHICLE HOLDER RAM mount	PVH-720R/STD	XM7-20
	RAM MOUNT VEHICLE HOLDER RAM mount	PVH-730R/STD	XM7-30
	RAM MOUNT VEHICLE HOLDER RAM mount	PVH-740R/STD	XM7-40
	VEHICLE HOLDER_P1 Only holder	PVH-L3000P1/STD	SPP-L3000
	VEHICLE HOLDER_P1 Only holder	PVH-720P1/STD	XM7-20
	VEHICLE HOLDER_P1 Only holder	PVH-730P1/STD	XM7-30
	VEHICLE HOLDER_P1 Only holder	PVH-740P1/STD	XM7-40/40R

Miscellaneous

Accessory Name and Description		Part Number	Compatible Product
	SERIAL CABLE (D-Sub 9 pin to 14pin) Host: D-Sub 9 pin Printer: 14pin Screw locking type	PIC-2000S/STD	SPP-L3000 XM7-20/30/40/40R
	SERIAL CABLE (D-Sub 9 pin to 14pin) Host: D-Sub 9 pin Printer: 14pin	PIC-R300S/STD	All models (Not available for SPP-C200/C300 and SPP-R200IIIU)
	USB CABLE (A to 14pin) Host: USB Type-A Printer: 14pin Screw locking type	PIC-2000U/STD	SPP-L3000 XM7-20/30/40/40R
	USB CABLE (A to 14pin) Host: USB Type-A Printer: 14pin	PIC-R300U/STD	All models (Not available for SPP-C200/C300 and SPP-R200IIIU)
	USB CABLE (A to C) Host: USB Type-A Printer: USB Type-C	PIC-3000U/STD	SPP-C200/C300 SPP-R200IIIU XM7-20/30/40/40R
	USB CABLE (C to C) Host: USB Type-C Printer: USB Type-C	PIC-4000U/STD	SPP-C200/C300 SPP-R200IIIU XM7-20/30/40/40R

Handling Accessories

Accessory Name and Description		Part Number	Compatible Product
	BELT STRAP 2" Belt width M3, L7 Screw Default: 10pcs in 1 inner box.	PBS-R210/STD	SPP-R200III/R200IIIU SPP-R210 SPP-R220 SPP-R310/L310 SPP-R410/L410
	BELT CLIP 1.5" Belt width M3, L7 Screw Default: 10pcs in 1 inner box.	PBL-R210/STD	SPP-R200III/R200IIIU SPP-R210 SPP-R220 SPP-R310/L310 SPP-R410/L410
	CASE Metal clip	PLC-R310/STD	SPP-R310/L310
	CASE Plastic clip	PLC-R410/STD	SPP-R410/L410
	PROTECTIVE CASE Plastic clip	PPC-R310/STD	SPP-R310/L310
	SHOULDER STRAP To use with 2" receipt mobile printers, a CASE or PROTECTIVE CASE is required for each model. 2" receipt mobile printers: SPP-R200/R200II/R200III/R200III with MSR SPP-R210 SPP-R220	PSS-R200/STD	All models (Not available for SPP-C200/C300)

Power System Accessories

Accessory Name and Description	Part Number	Compatible Product
 BATTERY PACK 7.2 V Li-ion, 2,850 mAh (Nominal) 7pin Rechargeable	PBP-R300/STD	SPP-R310/L310 SPP-R410/L410 SPP-L3000 XM7-20/30
 BATTERY CHARGER Input: 100-240 VAC, 50-60Hz, 0.5A Output: 8.4 VDC, 0.8A POWER CORD(2P) not included.	PBC-1000/STD	SPP-R200/R200II/R200III/ R200III with MSR SPP-R210 SPP-R220 SPP-R310/L310 SPP-R410/L410
 USB CHARGER Input: 5 VDC, 0.5A, USB Type-A Output: 8.4 VDC, 0.25A	PUC-1000/STD	SPP-R200/R200II/R200III/ R200III with MSR SPP-R210 SPP-R220 SPP-R310/L310 SPP-R410/L410
 AC/DC ADAPTER for PQC-R200/R300, PQD- R200II/R210/R220 Input: 100-240 VAC, 50-60Hz, 1A Output: 12 VDC, 3A POWER CORD(2P) not included.	K404-00068A	SPP-R200/R200II/R200III/ R200III with MSR/R200IIIU SPP-R210 SPP-R220 SPP-R310/L310 SPP-R410/L410 SPP-L3000 XM7-20/30/40/40R
 SINGLE BATTER CRADLE for PBP-R300, PBP-S300/S400 Input/Output: 8.4 VDC, 0.8A PBC-1000 BATTERY CHARGER and POWER CORD(2P) not included.	PBD-R300/STD	SPP-R310/L310 SPP-R410/L410 SPP-L3000 XM7-20/30/40/40R


Multi-Power System Accessories

Accessory Name and Description	Part Number	Compatible Product
 QUAD BATTERY CHARGER for PBP-R300, PBP-S300/S400 Input: 100-240 VAC, 50-60Hz, 1A Output: 8.4 VDC, 0.8A AC/DC ADAPTER and POWER CORD(2P) included.	PQC-R300/STD	SPP-R310/L310 SPP-R410/L410 SPP-L3000 XM7-20/30/40/40R

Power Cord Accessories

Accessory Name and Description		Part Number	Compatible Product
	POWER CORD-2-CHN China	K609-00016A	All models (Not available for SPP-C200/C300, PQD-720/720E and PQD-7000/7000E)
	POWER CORD-2-JPN Japan	K609-00017A	All models (Not available for SPP-C200/C300, PQD-720/720E and PQD-7000/7000E)
	POWER CORD-2-KOR Korea	K609-00018A	All models (Not available for SPP-C200/C300, PQD-720/720E and PQD-7000/7000E)
	POWER CORD-2-EU Europe	K609-00019A	All models (Not available for SPP-C200/C300, PQD-720/720E and PQD-7000/7000E)
	POWER CORD-2-UK UK	K609-00020A	All models (Not available for SPP-C200/C300, PQD-720/720E and PQD-7000/7000E)
	POWER CORD-2-USA USA	K609-00021A	All models (Not available for SPP-C200/C300, PQD-720/720E and PQD-7000/7000E)
	POWER CORD-2-AUS Australia	K609-00022A	All models (Not available for SPP-C200/C300, PQD-720/720E and PQD-7000/7000E)
	POWER CORD-2-ARG Argentina	K609-00023A	All models (Not available for SPP-C200/C300, PQD-720/720E and PQD-7000/7000E)
	POWER CORD-2-BRA Brazil	K609-00028A	All models (Not available for SPP-C200/C300, PQD-720/720E and PQD-7000/7000E)
	POWER CORD-2-IND India	K609-00072A	All models (Not available for SPP-C200/C300, PQD-720/720E and PQD-7000/7000E)

Vehicle Accessories

Accessory Name and Description		Part Number	Compatible Product
	VEHICLE CHARGER Input: 12-24 VDC, 0.7A Output: 8.4 VDC, 0.8A	PCC-1000/STD	SPP-R200/R200II/R200III/ R200III with MSR SPP-R210 SPP-R220 SPP-R310/L310 SPP-R410/L410
	VEHICLE HOLDER Suction mount	PVH-R310/STD	SPP-R310/L310
	RAM MOUNT VEHICLE HOLDER RAM mount	PVH-R310R/STD	SPP-R310/L310
	RAM MOUNT VEHICLE HOLDER RAM mount	PVH-R410R/STD	SPP-R410/L410
	VEHICLE HOLDER_P1 Only holder	PVH-R310P1/STD	SPP-R310/3410
	VEHICLE HOLDER_P1 Only holder	PVH-R410P1/STD	SPP-R410/L410

Miscellaneous

Accessory Name and Description		Part Number	Compatible Product
	SERIAL CABLE (D-Sub 9 pin to 14pin) Host: D-Sub 9 pin Printer: 14pin	PIC-R300S/STD	All models (Not available for SPP-C200/C300 and SPP-R200IIIU)
	USB CABLE (A to 14pin) Host: USB Type-A Printer: 14pin	PIC-R300U/STD	All models (Not available for SPP-C200/C300 and SPP-R200IIIU)
	DETACHABLE MEDIA HOLDER Supporting 58/62/66/70/74mm width. Special firmware required. (Up to 3 ips print speed supported)	PPH-L310/STD	SPP-L310 (Not available for SPP- R310)

Handling Accessories

Accessory Name and Description		Part Number	Compatible Product
	BELT STRAP 2" Belt width M3, L12.9 Screw Default: 10pcs in 1 inner box.	PBS-R200II/STD	SPP-R200/R200II/ R200III with MSR
	BELT STRAP 2" Belt width M3, L7 Screw Default: 10pcs in 1 inner box.	PBS-R210/STD	SPP-R200III/R200IIIU SPP-R210 SPP-R220 SPP-R310/L310 SPP-R410/L410
	BELT CLIP 1.5" Belt width M3, L12.9 Screw Default: 10pcs in 1 inner box.	PBL-R200II/STD	SPP-R200/R200II/ R200III with MSR
	BELT CLIP 1.5" Belt width M3, L7 Screw Default: 10pcs in 1 inner box.	PBL-R210/STD	SPP-R200III/R200IIIU SPP-R210 SPP-R220 SPP-R310/L310 SPP-R410/L410
	CASE Metal clip	PLC-R200/STD	SPP-R200/R200II/R200III/ R200III with MSR/R200IIIU
	CASE Plastic clip	PLC-R210/STD	SPP-R210
	CASE Plastic clip	PLC-R220/STD	SPP-R220
	CASE Metal clip	PLC-R310/STD	SPP-R310/L310
	CASE Plastic clip	PLC-R410/STD	SPP-R410/L410

Handling Accessories

Accessory Name and Description		Part Number	Compatible Product
	PROTECTIVE CASE Plastic clip	PPC-R200/STD	SPP-R200/R200II/R200III/ R200III with MSR/R200IIIU
	PROTECTIVE CASE Plastic clip	PPC-R210/STD	SPP-R210
	PROTECTIVE CASE Plastic clip	PPC-R310/STD	SPP-R310/L310
	SHOULDER STRAP To use with 2" receipt mobile printers, a CASE or PROTECTIVE CASE is required for each model. 2" receipt mobile printers: SPP-R200/R200II/R200III/R200III with MSR SPP-R210 SPP-R220	PSS-R200/STD	All models (Not available for SPP-C200/C300)

Power System Accessories

Accessory Name and Description		Part Number	Compatible Product
	BATTERY PACK 7.2 V Li-ion, 1,200 mAh (Nominal) 3pin Rechargeable	PBP-R200/STD	SPP-R200/R200II/R200III/ R200III with MSR/R200IIIU SPP-R210 SPP-R220
	BATTERY PACK_V2 7.2 V Li-ion, 1,200 mAh (Nominal) 3pin Rechargeable With 3pin outer contacts	PBP-R200_V2/STD	SPP-R200/R200II/R200III/ R200III with MSR/R200IIIU SPP-R210 SPP-R220
	BATTERY PACK 7.2 V Li-ion, 2,850 mAh (Nominal) 7pin Rechargeable	PBP-R300/STD	SPP-R310/L310 SPP-R410/L410 SPP-L3000 XM7-20/30
	BATTERY CHARGER Input: 100-240 VAC, 50-60Hz, 0.5A Output: 8.4 VDC, 0.8A POWER CORD(2P) not included.	PBC-1000/STD	SPP-R200/R200II/R200III/ R200III with MSR SPP-R210 SPP-R220 SPP-R310/L310 SPP-R410/L410
	USB CHARGER Input: 5 VDC, 0.5A, USB Type-A Output: 8.4 VDC, 0.25A	PUC-1000/STD	SPP-R200/R200II/R200III/ R200III with MSR SPP-R210 SPP-R220 SPP-R310/L310 SPP-R410/L410
	AC/DC ADAPTER for PQC-R200/R300, PQD- R200II/R210/R220 Input: 100-240 VAC, 50-60Hz, 1A Output: 12 VDC, 3A POWER CORD(2P) not included.	K404-00068A	SPP-R200/R200II/R200III/ R200III with MSR/R200IIIU SPP-R210 SPP-R220 SPP-R310/L310 SPP-R410/L410 SPP-L3000 XM7-20/30/40/40R

Power System Accessories

Accessory Name and Description		Part Number	Compatible Product
	SINGLE BATTERY CRADLE for PBP-R200, PBP-R200_V2 Input/Output: 8.4 VDC,0.8A PBC-1000 BATTERY CHARGER and POWER CORD(2P) not included. Only use BATTERY PACKs manufactured after March 2013.	PBD-R200II/STD	SPP-R200/R200II/R200III/ R200III with MSR/R200IIIU SPP-R210 SPP-R220
	SINGLE BATTER CRADLE for PBP-R300, PBP-S300/S400 Input/Output: 8.4 VDC, 0.8A PBC-1000 BATTERY CHARGER and POWER CORD(2P) not included.	PBD-R300/STD	SPP-R310/L310 SPP-R410/L410 SPP-L3000 XM7-20/30/40/40R
	SINGLE DOCKING CRADLE Input: 8.4 VDC, 0.8A Output: 8.2 VDC, 0.8A PBP-R200_V2 BATTERY PACK required. PBC-1000 BATTERY CHARGER and POWER CORD(2P) not included.	PSD-R200II/STD	SPP-R200/R200II/R200III/ R200III with MSR/R200IIIU
	SINGLE DOCKING CRADLE Input: 8.4 VDC, 0.8A Output: 8.2 VDC, 0.8A PBP-R200_V2 BATTERY PACK required. PBC-1000 BATTERY CHARGER and POWER CORD(2P) not included.	PSD-R210/STD	SPP-R210
	SINGLE DOCKING CRADLE Input: 8.4 VDC, 0.8A Output: 8.2 VDC, 0.8A PBP-R200_V2 BATTERY PACK required. PBC-1000 BATTERY CHARGER and POWER CORD(2P) not included.	PSD-R220/STD	SPP-R220


Multi-Power System Accessories

Accessory Name and Description		Part Number	Compatible Product
	QUAD BATTERY CHARGER for PBP-R200, PBP-R200_V2 Input: 100-240 VAC, 50-60Hz, 1A Output: 8.4 VDC, 0.8A AC/DC ADAPTER and POWER CORD(2P) included.	PQC-R200/STD	SPP-R200/R200II/R200III/ R200III with MSR/R200IIIU SPP-R210 SPP-R220
	QUAD BATTERY CHARGER for PBP-R300, PBP-S300/S400 Input: 100-240 VAC, 50-60Hz, 1A Output: 8.4 VDC, 0.8A AC/DC ADAPTER and POWER CORD(2P) included.	PQC-R300/STD	SPP-R310/L310 SPP-R410/L410 SPP-L3000 XM7-20/30/40/40R
	QUAD DOCKING CRADLE Input: 100-240 VAC, 50-60Hz, 1A Output: 8.4 VDC, 0.8A PBP-R200_V2 BATTERY PACK required. AC/DC ADAPTER and POWER CORD(2P) included.	PQD-R200II/STD	SPP-R200/R200II/R200III/ R200III with MSR/R200IIIU
	QUAD DOCKING CRADLE Input: 100-240 VAC, 50-60Hz, 1A Output: 8.4 VDC, 0.8A PBP-R200_V2 BATTERY PACK required. AC/DC ADAPTER and POWER CORD(2P) included.	PQD-R210/STD	SPP-R210
	QUAD DOCKING CRADLE Input: 100-240 VAC, 50-60Hz, 1A Output: 8.4 VDC, 0.8A PBP-R200_V2 BATTERY PACK required. AC/DC ADAPTER and POWER CORD(2P) included.	PQD-R220/STD	SPP-R220

Power Cord Accessories

Accessory Name and Description		Part Number	Compatible Product
	POWER CORD-2-CHN China	K609-00016A	All models (Not available for SPP-C200/C300, PQD-720/720E and PQD-7000/7000E)
	POWER CORD-2-JPN Japan	K609-00017A	All models (Not available for SPP-C200/C300, PQD-720/720E and PQD-7000/7000E)
	POWER CORD-2-KOR Korea	K609-00018A	All models (Not available for SPP-C200/C300, PQD-720/720E and PQD-7000/7000E)
	POWER CORD-2-EU Europe	K609-00019A	All models (Not available for SPP-C200/C300, PQD-720/720E and PQD-7000/7000E)
	POWER CORD-2-UK UK	K609-00020A	All models (Not available for SPP-C200/C300, PQD-720/720E and PQD-7000/7000E)
	POWER CORD-2-USA USA	K609-00021A	All models (Not available for SPP-C200/C300, PQD-720/720E and PQD-7000/7000E)
	POWER CORD-2-AUS Australia	K609-00022A	All models (Not available for SPP-C200/C300, PQD-720/720E and PQD-7000/7000E)
	POWER CORD-2-ARG Argentina	K609-00023A	All models (Not available for SPP-C200/C300, PQD-720/720E and PQD-7000/7000E)
	POWER CORD-2-BRA Brazil	K609-00028A	All models (Not available for SPP-C200/C300, PQD-720/720E and PQD-7000/7000E)
	POWER CORD-2-IND India	K609-00072A	All models (Not available for SPP-C200/C300, PQD-720/720E and PQD-7000/7000E)

Vehicle Accessories

Accessory Name and Description		Part Number	Compatible Product
	VEHICLE CHARGER Input: 12-24 VDC, 0.7A Output: 8.4 VDC, 0.8A	PCC-1000/STD	SPP-R200/R200II/R200III/ R200III with MSR SPP-R210 SPP-R220 SPP-R310/L310 SPP-R410/L410
	VEHICLE HOLDER Suction mount	PVH-R200/STD	SPP-R200/R200II/R200III/ R200III with MSR/R200IIIU
	VEHICLE HOLDER Suction mount	PVH-R210/STD	SPP-R210
	VEHICLE HOLDER Suction mount	PVH-R220/STD	SPP-R220
	VEHICLE HOLDER Suction mount	PVH-R310/STD	SPP-R310/L310
	RAM MOUNT VEHICLE HOLDER RAM mount	PVH-R310R/STD	SPP-R310/L310
	RAM MOUNT VEHICLE HOLDER RAM mount	PVH-R410R/STD	SPP-R410/L410

Vehicle Accessories

Accessory Name and Description		Part Number	Compatible Product
	VEHICLE HOLDER_P1 Only holder	PVH-R200P1/STD	SPP-R200/R200II/R200III/ R200IIIU with MSR/R200IIIU
	VEHICLE HOLDER_P1 Only holder	PVH-R210P1/STD	SPP-R210
	VEHICLE HOLDER_P1 Only holder	PVH-R220P1/STD	SPP-R220
	VEHICLE HOLDER_P1 Only holder	PVH-R310P1/STD	SPP-R310/3410
	VEHICLE HOLDER_P1 Only holder	PVH-R410P1/STD	SPP-R410/L410

Miscellaneous

Accessory Name and Description		Part Number	Compatible Product
	SERIAL CABLE (D-Sub 9 pin to 14pin) Host: D-Sub 9 pin Printer: 14pin	PIC-R300S/STD	All models (Not available for SPP-C200/C300 and SPP-R200IIIU)
	USB CABLE (A to 14pin) Host: USB Type-A Printer: 14pin	PIC-R300U/STD	All models (Not available for SPP-C200/C300 and SPP-R200IIIU)
	USB CABLE (A to C) Host: USB Type-A Printer: USB Type-C	PIC-3000U/STD	SPP-C200/C300 SPP-R200IIIU XM7-20/30/40/40R
	USB CABLE (C to C) Host: USB Type-C Printer: USB Type-C	PIC-4000U/STD	SPP-C200/C300 SPP-R200IIIU XM7-20/30/40/40R
	PROTECTIVE JACKET PBS-R210 or PBL-R210 available.	PPJ-R2003/STD	SPP-R200/200II/R200III/ R200III with MSR/R200IIIU
	DETACHABLE MEDIA HOLDER Supporting 58/62/66/70/74mm width. Special firmware required. (Up to 3 ips print speed supported)	PPH-L310/STD	SPP-L310 (Not available for SPP- R310)
	BATTERY CLIP	KM09-00123A	SPP-R200/200II/R200III/ R200III with MSR/R200IIIU SPP-R210 SPP-R220

Handling Accessories

Accessory Name and Description		Part Number	Compatible Product
	BELT CLIP 1.5" Belt width. M3, L7 Screw Default: 10pcs in 1 inner box.	PBL-1000/STD	SPP-C200/C300

Power System Accessories

Accessory Name and Description		Part Number	Compatible Product
	BATTERY PACK 3.6 V Li-ion, 3,200 mAh (Nominal) 5pin Rechargeable	PBP-C100/STD	SPP-C200/C300

Miscellaneous

Accessory Name and Description		Part Number	Compatible Product
	USB CABLE (A to C) Host: USB Type-A Printer: USB Type-C	PIC-3000U/STD	SPP-C200/C300 SPP-R200IIIU XM7-20/30/40/40R
	USB CABLE (C to C) Host: USB Type-C Printer: USB Type-C	PIC-4000U/STD	SPP-C200/C300 SPP-R200IIIU XM7-20/30/40/40R

Mobile Printers Accessories Guide

by Accessory Type



Handling Accessories

Accessory Name and Description		Part Number	Compatible Product
	BELT STRAP 2" Belt width M5,L8.5 Screw Default: 10pcs in 1 inner box.	PBS-2000/STD	XM7-20/30/40/40R SPP-L3000
	BELT STRAP 2" Belt width M3, L12.9 Screw Default: 10pcs in 1 inner box.	PBS-R200II/STD	SPP-R200/R200II/ R200III with MSR
	BELT STRAP 2" Belt width M3, L7 Screw Default: 10pcs in 1 inner box.	PBS-R210/STD	SPP-R200III/R200IIIU SPP-R210 SPP-R220 SPP-R310/L310 SPP-R410/L410
	BELT CLIP 1.5" Belt width M3, L12.9 Screw Default: 10pcs in 1 inner box.	PBL-R200II/STD	SPP-R200/R200II/ R200III with MSR
	BELT CLIP 1.5" Belt width M3, L7 Screw Default: 10pcs in 1 inner box.	PBL-R210/STD	SPP-R200III/R200IIIU SPP-R210 SPP-R220 SPP-R310/L310 SPP-R410/L410
	BELT CLIP 1.5" Belt width. M3, L7 Screw Default: 10pcs in 1 inner box.	PBL-1000/STD	SPP-C200/C300

Handling Accessories

Accessory Name and Description		Part Number	Compatible Product
	CASE Metal clip	PLC-720/STD	XM7-20
	CASE Metal clip	PLC-730/STD	XM7-30
	CASE Metal clip	PLC-740/STD	XM7-40/40R
	CASE Plastic clip	PLC-L3000/STD	SPP-L3000
	CASE Metal clip	PLC-R200/STD	SPP-R200/R200II/R200III/ R200III with MSR/R200IIIU
	CASE Plastic clip	PLC-R210/STD	SPP-R210
	CASE Plastic clip	PLC-R220/STD	SPP-R220
	CASE Metal clip	PLC-R310/STD	SPP-R310/L310
	CASE Plastic clip	PLC-R410/STD	SPP-R410/L410

Handling Accessories

Accessory Name and Description		Part Number	Compatible Product
	PROTECTIVE CASE Plastic clip	PPC-R200/STD	SPP-R200/R200II/R200III/ R200III with MSR/R200IIIU
	PROTECTIVE CASE Plastic clip	PPC-R210/STD	SPP-R210
	PROTECTIVE CASE Plastic clip	PPC-R310/STD	SPP-R310/L310
	SHOULDER STRAP To use with 2" receipt mobile printers, a CASE or PROTECTIVE CASE is required for each model. 2" receipt mobile printers: SPP-R200/R200II/R200III/R200III with MSR SPP-R210 SPP-R220	PSS-R200/STD	All models (Not available for SPP-C200/C300)

Power System Accessories

Accessory Name and Description		Part Number	Compatible Product
	BATTERY PACK 3.6 V Li-ion, 3,200 mAh (Nominal) 5pin Rechargeable	PBP-C100/STD	SPP-C200/C300
	BATTERY PACK 7.2 V Li-ion, 1,200 mAh (Nominal) 3pin Rechargeable	PBP-R200/STD	SPP-R200/R200II/R200III/ R200III with MSR/R200IIU SPP-R210 SPP-R220
	BATTERY PACK_V2 7.2 V Li-ion, 1,200 mAh (Nominal) 3pin Rechargeable With 3pin outer contacts	PBP-R200_V2/STD	SPP-R200/R200II/R200III/ R200III with MSR/R200IIU SPP-R210 SPP-R220
	BATTERY PACK 7.2 V Li-ion, 2,850 mAh (Nominal) 7pin Rechargeable	PBP-R300/STD	SPP-R310/L310 SPP-R410/L410 SPP-L3000 XM7-20/30
	SMART BATTERY PACK 7.2 V Li-ion, 3,400 mAh (Nominal) 9pin Rechargeable	PBP-S300/STD	SPP-L3000 XM7-20/30
	SMART BATTERY PACK 7.2 V Li-ion, 6,800 mAh (Nominal) 11pin Rechargeable	PBP-S400/STD	XM7-40/40R

Power System Accessories

Accessory Name and Description		Part Number	Compatible Product
	BATTERY CHARGER Input: 100-240 VAC, 50-60Hz, 0.5A Output: 8.4 VDC, 0.8A POWER CORD(2P) not included.	PBC-1000/STD	SPP-R200/R200II/R200III/ R200III with MSR SPP-R210 SPP-R220 SPP-R310/L310 SPP-R410/L410
	USB CHARGER Input: 5 VDC, 0.5A, USB Type-A Output: 8.4 VDC, 0.25A	PUC-1000/STD	SPP-R200/R200II/R200III/ R200III with MSR SPP-R210 SPP-R220 SPP-R310/L310 SPP-R410/L410
	AC/DC ADAPTER Input: 100-240 VAC, 50-60Hz, 1A Output: 9 VDC, 2A POWER CORD(2P) not included.	PBC-2000/STD	SPP-L3000 XM7-20/30/40/40R
	AC/DC PD ADAPTER Input: 100-240 VAC, 50-60Hz, 0.7A Output: 5 VDC, 3A / 9 VDC, 2A USB CABLE (C to C) not included. POWER CORD(2P) not included.	PBC-3000/STD	SPP-R200IIIU XM7-20/30/40/40R
	AC/DC ADAPTER for PQC-R200/R300, PQD- R200II/R210/R220 Input: 100-240 VAC, 50-60Hz, 1A Output: 12 VDC, 3A POWER CORD(2P) not included.	K404-00068A	SPP-R200/R200II/R200III/ R200III with MSR/R200IIIU SPP-R210 SPP-R220 SPP-R310/L310 SPP-R410/L410 SPP-L3000 XM7-20/30/40/40R
	AC/DC ADAPTER for PQD-720/720E, PQD-7000/7000E Input: 100-240 VAC, 50-60Hz, 2.5A Output: 24 VDC, 4A POWER CORD(3P) not included.	K404-00080A	XM7-20/30/40/40R

Power System Accessories

Accessory Name and Description		Part Number	Compatible Product
	SINGLE BATTERY CRADLE for PBP-R200, PBP-R200_V2 Input/Output: 8.4 VDC,0.8A PBC-1000 BATTERY CHARGER and POWER CORD(2P) not included. Only use BATTERY PACKs manufactured after March 2013.	PBD-R200II/STD	SPP-R200/R200II/R200III/ R200III with MSR/R200IIIU SPP-R210 SPP-R220
	SINGLE BATTERY CRADLE for PBP-R300, PBP-S300/S400 Input/Output: 8.4 VDC, 0.8A PBC-1000 BATTERY CHARGER and POWER CORD(2P) not included.	PBD-R300/STD	SPP-R310/L310 SPP-R410/L410 SPP-L3000 XM7-20/30/40/40R
	SINGLE DOCKING CRADLE Input: 8.4 VDC, 0.8A Output: 8.2 VDC, 0.8A PBP-R200_V2 BATTERY PACK required. PBC-1000 BATTERY CHARGER and POWER CORD(2P) not included.	PSD-R200II/STD	SPP-R200/R200II/R200III/ R200III with MSR/R200IIIU
	SINGLE DOCKING CRADLE Input: 8.4 VDC, 0.8A Output: 8.2 VDC, 0.8A PBP-R200_V2 BATTERY PACK required. PBC-1000 BATTERY CHARGER and POWER CORD(2P) not included.	PSD-R210/STD	SPP-R210
	SINGLE DOCKING CRADLE Input: 8.4 VDC, 0.8A Output: 8.2 VDC, 0.8A PBP-R200_V2 BATTERY PACK required. PBC-1000 BATTERY CHARGER and POWER CORD(2P) not included.	PSD-R220/STD	SPP-R220
	SINGLE DOCKING CRADLE Output/Output: 9 VDC, 2A PBC-2000 AC/DC ADAPTER and POWER CORD(2P) not included.	PSD-720/STD	XM7-20
	SINGLE DOCKING CRADLE Output/Output: 9 VDC, 2A PBC-2000 AC/DC ADAPTER and POWER CORD(2P) not included.	PSD-7000/STD	XM7-20/30/40/40R
	SINGLE DOCKING CRADLE Output/Output: 9 VDC, 2A Ethernet port PBC-2000 AC/DC ADAPTER and POWER CORD(2P) not included.	PSD-7000E/STD	XM7-20/30/40/40R

Multi-Power System Accessories

Accessory Name and Description		Part Number	Compatible Product
	QUAD BATTERY CHARGER for PBP-R200, PBP-R200_V2 Input: 100-240 VAC, 50-60Hz, 1A Output: 8.4 VDC, 0.8A AC/DC ADAPTER and POWER CORD(2P) included.	PQC-R200/STD	SPP-R200/R200II/R200III/ R200III with MSR/R200IIU SPP-R210 SPP-R220
	QUAD BATTERY CHARGER for PBP-R300, PBP-S300/S400 Input: 100-240 VAC, 50-60Hz, 1A Output: 8.4 VDC, 0.8A AC/DC ADAPTER and POWER CORD(2P) included.	PQC-R300/STD	SPP-R310/L310 SPP-R410/L410 SPP-L3000 XM7-20/30/40/40R
	QUAD DOCKING CRADLE Input: 100-240 VAC, 50-60Hz, 1A Output: 8.4 VDC, 0.8A PBP-R200_V2 BATTERY PACK required. AC/DC ADAPTER and POWER CORD(2P) included.	PQD-R200II/STD	SPP-R200/R200II/R200III/ R200III with MSR/R200IIU
	QUAD DOCKING CRADLE Input: 100-240 VAC, 50-60Hz, 1A Output: 8.4 VDC, 0.8A PBP-R200_V2 BATTERY PACK required. AC/DC ADAPTER and POWER CORD(2P) included.	PQD-R210/STD	SPP-R210
	QUAD DOCKING CRADLE Input: 100-240 VAC, 50-60Hz, 1A Output: 8.4 VDC, 0.8A PBP-R200_V2 BATTERY PACK required. AC/DC ADAPTER and POWER CORD(2P) included.	PQD-R220/STD	SPP-R220
	QUAD DOCKING CRADLE Input: 100-240 VAC, 50-60Hz, 2.5A Output: 10 VDC, 1.5A AC/DC ADAPTER and POWER CORD(3P) included.	PQD-720/STD	XM7-20
	QUAD DOCKING CRADLE Input: 100-240 VAC, 50-60Hz, 2.5A Output: 10 VDC, 1.5A AC/DC ADAPTER and POWER CORD(3P) included.	PQD-720E/STD	XM7-20
	QUAD DOCKING CRADLE Input: 100-240 VAC, 50-60Hz, 2.5A Output: 10 VDC, 1.5A AC/DC ADAPTER and POWER CORD(3P) included.	PQD-7000/STD	XM7-20/30/40/40R
	QUAD DOCKING CRADLE Input: 100-240 VAC, 50-60Hz, 2.5A Output: 10 VDC, 1.5A AC/DC ADAPTER and POWER CORD(3P) included. Ethernet port	PQD-7000E/STD	XM7-20/30/40/40R


Power Cord Accessories

Accessory Name and Description		Part Number	Compatible Product
	POWER CORD-2-CHN China	K609-00016A	All models (Not available for SPP-C200/C300, PQD-720/720E and PQD-7000/7000E)
	POWER CORD-2-JPN Japan	K609-00017A	All models (Not available for SPP-C200/C300, PQD-720/720E and PQD-7000/7000E)
	POWER CORD-2-KOR Korea	K609-00018A	All models (Not available for SPP-C200/C300, PQD-720/720E and PQD-7000/7000E)
	POWER CORD-2-EU Europe	K609-00019A	All models (Not available for SPP-C200/C300, PQD-720/720E and PQD-7000/7000E)
	POWER CORD-2-UK UK	K609-00020A	All models (Not available for SPP-C200/C300, PQD-720/720E and PQD-7000/7000E)
	POWER CORD-2-USA USA	K609-00021A	All models (Not available for SPP-C200/C300, PQD-720/720E and PQD-7000/7000E)
	POWER CORD-2-AUS Australia	K609-00022A	All models (Not available for SPP-C200/C300, PQD-720/720E and PQD-7000/7000E)
	POWER CORD-2-ARG Argentina	K609-00023A	All models (Not available for SPP-C200/C300, PQD-720/720E and PQD-7000/7000E)
	POWER CORD-2-BRA Brazil	K609-00028A	All models (Not available for SPP-C200/C300, PQD-720/720E and PQD-7000/7000E)
	POWER CORD-2-IND India	K609-00072A	All models (Not available for SPP-C200/C300, PQD-720/720E and PQD-7000/7000E)

Power Cord Accessories

Accessory Name and Description		Part Number	Compatible Product
	POWER CORD-3-CHN for PQD-720/720E, PQD-7000/7000E China	JE39-00064E	XM7-20/30/40/40R
	POWER CORD-3-JPN for PQD-720/720E, PQD-7000/7000E Japan	K609-00017B	XM7-20/30/40/40R
	POWER CORD-3-KOR for PQD-720/720E, PQD-7000/7000E Korea	K609-00098A	XM7-20/30/40/40R
	POWER CORD-3-EU for PQD-720/720E, PQD-7000/7000E Europe	JE39-00060A	XM7-20/30/40/40R
	POWER CORD-3-UK for PQD-720/720E, PQD-7000/7000E UK	JE39-00064H	XM7-20/30/40/40R
	POWER CORD-3-USA for PQD-720/720E, PQD-7000/7000E USA	JE39-00058B	XM7-20/30/40/40R
	POWER CORD-3-AUS for PQD-720/720E, PQD-7000/7000E Australia	JE39-00064G	XM7-20/30/40/40R
	POWER CORD-3-ARG for PQD-720/720E, PQD-7000/7000E Argentina	K609-00023B	XM7-20/30/40/40R
	POWER CORD-3-BRA for PQD-720/720E, PQD-7000/7000E Brazil	K609-00028B	XM7-20/30/40/40R
	POWER CORD-3-IND for PQD-720/720E, PQD-7000/7000E India	K609-00072D	XM7-20/30/40/40R

Vehicle Accessories

Accessory Name and Description		Part Number	Compatible Product
	VEHICLE CHARGER Input: 12-24 VDC, 0.7A Output: 8.4 VDC, 0.8A	PCC-1000/STD	SPP-R200/R200II/R200III/ R200III with MSR SPP-R210 SPP-R220 SPP-R310/L310 SPP-R410/L410
	VEHICLE ADAPTER Input: 12-24 VDC, 2A Output: 9 VDC, 2A	PCC-2000/STD	SPP-L3000 XM7-20/30/40/40R
	VEHICLE HOLDER Suction mount	PVH-R200/STD	SPP-R200/R200II/R200III/ R200III with MSR/R200IIIU
	VEHICLE HOLDER Suction mount	PVH-R210/STD	SPP-R210
	VEHICLE HOLDER Suction mount	PVH-R220/STD	SPP-R220
	VEHICLE HOLDER Suction mount	PVH-R310/STD	SPP-R310/L310
	RAM MOUNT VEHICLE HOLDER RAM mount	PVH-R310R/STD	SPP-R310/L310
	RAM MOUNT VEHICLE HOLDER RAM mount	PVH-R410R/STD	SPP-R410/L410
	RAM MOUNT VEHICLE HOLDER RAM mount	PVH-L3000R/STD	SPP-L3000

Vehicle Accessories

Accessory Name and Description		Part Number	Compatible Product
	RAM MOUNT VEHICLE HOLDER RAM mount	PVH-720R/STD	XM7-20
	RAM MOUNT VEHICLE HOLDER RAM mount	PVH-730R/STD	XM7-30
	RAM MOUNT VEHICLE HOLDER RAM mount	PVH-740R/STD	XM7-40

Vehicle Accessories

Accessory Name and Description		Part Number	Compatible Product
	VEHICLE HOLDER_P1 Only holder	PVH-R200P1/STD	SPP-R200/R200II/R200III/ R200III with MSR/R200IIIU
	VEHICLE HOLDER_P1 Only holder	PVH-R210P1/STD	SPP-R210
	VEHICLE HOLDER_P1 Only holder	PVH-R220P1/STD	SPP-R220
	VEHICLE HOLDER_P1 Only holder	PVH-R310P1/STD	SPP-R310/3410
	VEHICLE HOLDER_P1 Only holder	PVH-R410P1/STD	SPP-R410/L410
	VEHICLE HOLDER_P1 Only holder	PVH-L3000P1/STD	SPP-L3000
	VEHICLE HOLDER_P1 Only holder	PVH-720P1/STD	XM7-20
	VEHICLE HOLDER_P1 Only holder	PVH-730P1/STD	XM7-30
	VEHICLE HOLDER_P1 Only holder	PVH-740P1/STD	XM7-40/40R

Miscellaneous

Accessory Name and Description		Part Number	Compatible Product
	SERIAL CABLE (D-Sub 9 pin to 14pin) Host: D-Sub 9 pin Printer: 14pin Screw locking type	PIC-2000S/STD	SPP-L3000 XM7-20/30/40/40R
	SERIAL CABLE (D-Sub 9 pin to 14pin) Host: D-Sub 9 pin Printer: 14pin	PIC-R300S/STD	All models (Not available for SPP-C200/C300 and SPP-R200IIIU)
	USB CABLE (A to 14pin) Host: USB Type-A Printer: 14pin Screw locking type	PIC-2000U/STD	SPP-L3000 XM7-20/30/40/40R
	USB CABLE (A to 14pin) Host: USB Type-A Printer: 14pin	PIC-R300U/STD *	All models (Not available for SPP-C200/C300 and SPP-R200IIIU)
	USB CABLE (A to C) Host: USB Type-A Printer: USB Type-C	PIC-3000U/STD	SPP-C200/C300 SPP-R200IIIU XM7-20/30/40/40R
	USB CABLE (C to C) Host: USB Type-C Printer: USB Type-C	PIC-4000U/STD	SPP-C200/C300 SPP-R200IIIU XM7-20/30/40/40R
	PROTECTIVE JACKET PBS-R210 or PBL-R210 available.	PPJ-R2003/STD	SPP-R200/200II/R200III/ R200III with MSR/R200IIIU
	DETACHABLE MEDIA HOLDER Supporting 58/62/66/70/74mm width. Special firmware required. (Up to 3 ips print speed supported)	PPH-L310/STD	SPP-L310 (Not available for SPP-R310)
	BATTERY CLIP	KM09-00123A	SPP-R200/200II/R200III/ R200III with MSR/ R200IIIU SPP-R210 SPP-R220